SOLUTION FOR EXPORT PACKAGING





Solution For Export Packaging





### **POLYESTER CORD STRAP**

Polyester cordstrap is the most effective & easiest way to secure cargo for international shipping on any mode of transport unit like flat racks, Container, or for Palletization, Our lashing system eliminates any kind of damages & incidents to your cargo daring transit.

- Safe for Your People
- Maximum JOINT Efficiency
- SHOCK Absorbent
- Elongation RECOVERY
- High CROSS Directional Strength
- Very Low TOOLING Investment
- ENVIRONMENT Friendly & Easily Disposable
- Good WEATHER Resistance & U.V. Stabilized
- Reduce IN-TRANSIT Damages

### **Buckle & Tools are Available**



## **DUNNAGE AIR BAGS**

If the empty void and/or unattended space in an EXPORT Container / Containerized Vehicles is the cause of your worry. Be Rest Assured! Dunnage Air Bags with auto-shut-off and fastest-filling valve (within few seconds) on EARTH we can confidently not only SECURE your cargo but in a way secure your CUSTOMER too. Our each bag is made up of VIRGIN PE Bladder and EXTENSIBLE KRAFT paper thus offering you a highly dependable dunnage system which along with filling the void also provides CUSHIONING to your cargo during it's entire journey worldwide.

• SE SEWN Stitching provides additional reliability over competition

- Liner made from LLDPE
- High Force Bearing & BURSTING Factor
- Rapid Filling Valve with AUTO-SHUT-OFF Feature
- Each Bag is TESTED and UNIQUELY Bar Coded
- Reusable & Recyclable

Solution For Export Packaging





## **PP BOX STRAPPING**

Strapping rolls are made from PP materials. There strapping rolls are having more shining and strength so it is widely used in various industries as well as home applications.

These box strapping have the highest strength and high length to weight ratio to give economical and efficient binder cord.

#### Available:


Fully automatic, semi automatic, manual natural, white opaque, coloured and printed.

#### **Specification:**

Width : 6mm to 19mm Thickness : 0.5mm to 1mm Length : as per requirement.

### **Clips & Strapping Tools are Available**





# PET STRAP

The PET strap is well-suited to the strapping of stacked and packaged products, such as sawn timber, cardboard, chipboard, plywood, paper, tile and glass. All of ours PET strap can be used with manual and automatic strapping machines. Our strap has stable geometric and mechanical characteri-stics throughout the length of the strap.

- It is an alternative product to steel strapping.
- Flexible and light which is easy and simple to use.
- Does not make rust or give any damage to the products.
- Lower cost and environmental friendly.
- Maximum occupational safety.
- Is used with fully automatic machine, battery powered strapping machine, pneumatic machine and buckles.
- Can be produced with different dimensions and lengths according to customer demand.

### **Clips & Strapping Tools are Available**



Solution For Export Packaging




### STRETCH WRAPPING FILM

Your source for all quality grades of stretch wraps (Pallet Wrap) film need. Stretch Wrap, also known as pallet wrap is a simple process of wrapping boxes or items that have been accumulated on a pallet and then pulled tightly together by the force on the film wrapped around the boxes or items. out line of stretch films is made for performance and value.

Elite Industries distributes a full line of quality films in a variety of sizes for your specific needs.

### Specification

: 13 microns to 200 microns.
: 75mm to 3000mm
: upto 200% - 300%
: 1000 ml / month





## PAPER EDGE BOARD

#### **Product Details**

Material	: Kraft Paper
Thickness	: 3mm - 7mm
Length	: 1800 to 3600 mm

We feel proud to introduce ourselves as one of the well-known suppliers and exporters of Paper Edge Board. The offered paper edge board is widely used for providing the load bearing capacity, to the packaging containers. Our supplied paper edge board is acclaimed for protecting the edges and corners of the packaging containers and shipment goods. The exported paper edge board is available at very affordable and reasonable market rates.

### Features

- Enhances the stacking strength of containers
- Eco friendly
- Substantially durable





# SECURITY SEAL LIGHT DUTY / HEAVY DUTY

Material : Nylon, PP, HDPE (based on Application) Features :

- It's Self Locking application conventional and Single Point Locking design ensures Tamper evident application just by inserting serrated strap (length) inside the locking head.
- Length can be adjusted to required Diameter
- Identification (marking) Tag offers enough space for hot-stamped / laser printed Logos and 7 digit numbers
- No Tool required for installation

**Application :** Ship Cabin Door, Transport Vehicle doors, ATM currency cassettes, Inter Branch Zipper Bags. Airline Baggage's. Postal Dept. & Courier bags. Currency bags. Pharmaceutical - Chemical bags and drums. Fire extinguishers. Quality control Brand Identification



# NON RELEASIBLE CABLE TIES

- Material : UL Approved Nylon 66, 94 V 2
- Cable Tie is an economical and versatile method of Cable/Wire bunching system
- Cable Tie has a self locking, one piece construction ensures the fast and easy installation

### **Application :**

Indoor, Outdoor (U.V Stabilised), Heat Stabilised, Fire Retardent.



# **RELEASIBLE CABLE TIES**


### Material : Nylon - 66

• The Releasible Cable Tie permits easy release and reuse even after ties has snug by hand.

• These are useful in harnessing where changes are anticipated during development, production or in the field.



Solution For Export Packaging



# STAGGUARD

STAGGUARD is a 5 ply product, it can be use for various industries like automobile, construction, food, chemical & pharmaceutical industries and all type of packaging industries, heavy partitions and used instead of ply woods, it is printable and can be creased, cut and joints easily to make packaging boxes for stacking and convenience to reuse 10-50 times to compare to paper board cortoons. It available in width 5 feet & length 8 feet, and size customizable. Thickness from 5 mm to 12 mm in 750 gsm to 4000 gsm.

#### Feature

- Reusable box
- Heavy partition
- Strong & long life
- · Light weight, Water & chemical resistance
- Can be joint, Creased, Cut & Printable



### SAFFGUARD

SAFFGUARD is a 3 ply product, can be used generally anywhere. Used for adverting, Packaging, Floor Protection, Shuttering plate protection in building construction industry. Saffguard is specially treated both side for printing ink and other adheres objects with finished surface. Available colors are Yeallow, Silver, Blue, White, Black and Gray. Plastic corrugated sheets available in width 5 feet & length 8 feet, and size customizable. Thickness from 2mm to 10mm in 275 gsm to 2500 gsm.

#### Feature

- Box making
- Floor protection
- Construction use
- Shuttering plate protection
- Advertising & Packaging use
- Light weight, Water & Chemical resistance
- Can be cut to shape for kiosk and display

Solution For Export Packaging



# **MASKING TAPES**

- Resistant to strong solvents and paints.
- Good holding power.
- Excellent for many industrial applications.
- Will not tear while removing.
- No adhesive transfer after removal.



# **FILAMENT TAPES**

A self Adhesive Tape which has been specially designed for applications requiring a high breaking strenght. This tape has a film backing and rubber adhesive. Woven glass fibers reinforce the backing, making this product extremely strong when used for heavy packing where it can replace metal and polypropylene strapping to great advantage.



### **KRAFT PAPER TAPE**

- Strong adhesive ability
- good performance in re-stripping & packaging
- Recommended for export packing
- environment Friendly



## **DUCT&BOOK-BINDING TAPES**

- Ideal for Insulation, underground pipline, corrosion & abrasion protection.
- Good resistance to moisture, humidity.
- ossessing outstanding conformity.
- It is designed for industrial or pipe wrapping.

### Colors available :

Black, Red, Pink, Silver Grey & Many more.



## **ALUMINUM FOIL TAPES**

- Highly Suitable for sealing off air conditioning and cool/warm air flow ducting.
- For sealing joints in ducting providing a flame retardant & vapor-proof barrier.
- Excellent adhesion on dry/clean surfaces on metal and other surfaces.
- Sizes available from 25mm/50mm/75mm/100mm in width to customized length.
- Available from 25 micron, 30 micron, 40 micron, 50 micron and 100 micron in the thickness.
- Product Application : HVAC duct wrap, protective masking and electroplating.



### **DOUBLE SIDE TISSUE TAPES**

- Excellent quick double-stick. Strong adhesion, Hand tear-able. A perfect substitute to replace glue for bonding.
- Non-deteriorating. Applicable for decoration, postal service & laminating.
- Ideal for holding and joining of light weight items in office and household application.
- Various sizes and grades available.



